

**ATP5S Polyclonal Antibody**

<b>Catalog No :</b>	YT0410
<b>Reactivity :</b>	Human;Mouse
<b>Applications :</b>	WB;ELISA
<b>Target :</b>	ATP5S
<b>Gene Name :</b>	ATP5S
<b>Protein Name :</b>	ATP synthase subunit s mitochondrial
<b>Human Gene Id :</b>	27109
<b>Human Swiss Prot No :</b>	Q99766
<b>Mouse Gene Id :</b>	68055
<b>Mouse Swiss Prot No :</b>	Q9CRA7
<b>Immunogen :</b>	The antiserum was produced against synthesized peptide derived from human ATP5S. AA range:21-70
<b>Specificity :</b>	ATP5S Polyclonal Antibody detects endogenous levels of ATP5S protein.
<b>Formulation :</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source :</b>	Polyclonal, Rabbit,IgG
<b>Dilution :</b>	WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.
<b>Purification :</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Concentration :</b>	1 mg/ml
<b>Storage Stability :</b>	-15°C to -25°C/1 year(Do not lower than -25°C)

**Observed Band :** 23kD


**Background :** This gene encodes a subunit of mitochondrial ATP synthase. Mitochondrial ATP synthase catalyzes ATP synthesis, utilizing an electrochemical gradient of protons across the inner membrane during oxidative phosphorylation. ATP synthase is composed of two linked multi-subunit complexes: the soluble catalytic core, F1, and the membrane-spanning component, Fo, comprising the proton channel. This gene encodes the subunit s, also known as factor B, of the proton channel. This subunit is necessary for the energy transduction activity of the ATP synthase complexes. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Jul 2008],

**Function :** caution:It is uncertain whether Met-1 or Met-16 is the initiator.,function:Involved in regulation of mitochondrial membrane ATP synthase. Necessary for H(+) conduction of ATP synthase.,similarity:Belongs to the ATP synthase subunit s family.,subunit:Monomer. Associates with ATP synthase.,


**Subcellular Location :** Mitochondrion . Mitochondrion inner membrane .

**Expression :** Brain,Hippocampus,Uterus,


## Products Images



Western Blot analysis of various cells using ATP5S Polyclonal Antibody



Western blot analysis of lysates from HT-29 cells, using ATP5S Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from K562 cells using ATP5S antibody.