

## **Arp3 Polyclonal Antibody**

Catalog No: YT0336

**Reactivity:** Human; Mouse; Rat

**Applications:** WB;ELISA

Target: Arp3

**Fields:** >>Endocytosis;>>Tight junction;>>Fc gamma R-mediated

phagocytosis;>>Regulation of actin cytoskeleton;>>Bacterial invasion of epithelial

cells;>>Pathogenic Escherichia coli infection;>>Shigellosis;>>Salmonella

infection;>>Yersinia infection

Gene Name: ACTR3

**Protein Name:** Actin-related protein 3

P61158

Q99JY9

Human Gene Id: 10096

**Human Swiss Prot** 

No:

Mouse Gene Id: 74117

**Mouse Swiss Prot** 

No:

Rat Gene ld: 81732

Rat Swiss Prot No: Q4V7C7

**Immunogen:** The antiserum was produced against synthesized peptide derived from human

ACTR3. AA range:369-418

**Specificity:** Arp3 Polyclonal Antibody detects endogenous levels of Arp3 protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

1/3



**Dilution:** WB 1:500 - 1:2000. ELISA: 1:40000. Not yet tested in other applications.

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 47kD

**Cell Pathway:** Regulation of Actin Dynamics; Adherens\_Junction; Protein\_Acetylation

**Background:** The specific function of this gene has not yet been determined; however, the

protein it encodes is known to be a major constituent of the ARP2/3 complex. This complex is located at the cell surface and is essential to cell shape and motility through lamellipodial actin assembly and protrusion. Three transcript variants encoding two different isoforms have been found for this gene. [provided by

RefSeg, Mar 2013],

**Function:** function: Functions as ATP-binding component of the Arp2/3 complex which is

involved in regulation of actin polymerization and together with an activating nucleation-promoting factor (NPF) mediates the formation of branched actin

networks. Seems to contact the pointed end of the daughter actin

filament., similarity: Belongs to the actin family., similarity: Belongs to the actin family. ARP3 subfamily., subunit: Component of the Arp2/3 complex composed of

ARP2, ARP3, ARPC1B/p41-ARC, ARPC2/p34-ARC, ARPC3/p21-ARC,

ARPC4/p20-ARC and ARPC5/p16-ARC. Interacts with WHDC1.,


Subcellular

Location:


Cytoplasm, cytoskeleton. Cell projection. Nucleus. In pre-apoptotic cells, colocalizes with MEFV in large specks (pyroptosomes) (PubMed:19109554).

**Expression :** Brain, Cajal-Retzius cell, T-cell,

## **Products Images**



Western Blot analysis of K562 cells using Arp3 Polyclonal Antibody



Western blot analysis of lysates from Jurkat and RAW264.7 cells, using ACTR3 Antibody. The lane on the right is blocked with the synthesized peptide.