

## **Claudin-5 Polyclonal Antibody**

Catalog No: YT0952

**Reactivity:** Human; Mouse; Rat

**Applications:** IHC;IF;ELISA

Target: Claudin-5

Fields: >>Cell adhesion molecules;>>Tight junction;>>Leukocyte transendothelial

migration;>>Pathogenic Escherichia coli infection;>>Hepatitis C

Gene Name: CLDN5

**Protein Name:** Claudin-5

O00501

054942

Human Gene Id: 7122

**Human Swiss Prot** 

No:

Mouse Gene Id: 12741

**Mouse Swiss Prot** 

No:

Rat Gene Id: 65131

Rat Swiss Prot No: Q9JKD6

Immunogen: The antiserum was produced against synthesized peptide derived from human

Claudin 5. AA range:169-218

**Specificity:** Claudin-5 Polyclonal Antibody detects endogenous levels of Claudin-5 protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution :** IHC 1:100 - 1:300. ELISA: 1:5000.. IF 1:50-200

1/2



**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 23kD

**Cell Pathway:** Cell adhesion molecules (CAMs); Tight junction; Leukocyte transendothelial

migration;

**Background:** This gene encodes a member of the claudin family. Claudins are integral

membrane proteins and components of tight junction strands. Tight junction strands serve as a physical barrier to prevent solutes and water from passing freely through the paracellular space between epithelial or endothelial cell sheets.

Mutations in this gene have been found in patients with velocardiofacial

syndrome. Alternatively spliced transcript variants encoding the same protein

have been found for this gene. [provided by RefSeq, Aug 2008],

**Function:** function:Plays a major role in tight junction-specific obliteration of the


intercellular space., similarity: Belongs to the claudin family., subunit: Directly interacts with TJP1/ZO-1, TJP2/ZO-2 and TJP3/ZO-3. Interacts with MPDZ.,

Subcellular Location:

Cell junction, tight junction. Cell membrane; Multi-pass membrane protein.

**Expression :** Adipose tissue, Brain, Lung, Prostate,

## **Products Images**



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).