

DNA pol a Polyclonal Antibody

Catalog No: YT1368

Reactivity: Human; Rat; Mouse;

Applications: WB;ELISA

Target: DNA pol a

Fields: >>DNA replication

Gene Name: POLA1

Protein Name: DNA polymerase alpha catalytic subunit

P09884

P33609

Human Gene Id: 5422

Human Swiss Prot

ilulilali Swiss Fi

No:

Mouse Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

DNA Polymerase alpha. AA range:81-130

Specificity: DNA pol a Polyclonal Antibody detects endogenous levels of DNA pol a protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. ELISA: 1:20000. Not yet tested in other applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

1/3



Observed Band: 165kD

Cell Pathway : Purine metabolism;Pyrimidine metabolism;DNA replication;

Background: This gene encodes the catalytic subunit of DNA polymerase, which together with

a regulatory and two primase subunits, forms the DNA polymerase alpha complex. The catalytic subunit plays an essential role in the initiation of DNA

replication. [provided by RefSeq, Mar 2010].

Function: catalytic activity:Deoxynucleoside triphosphate + DNA(n) = diphosphate +


DNA(n+1).,function:Polymerase alpha in a complex with DNA primase is a replicative polymerase.,miscellaneous:In eukaryotes there are five DNA polymerases: alpha, beta, gamma, delta, and epsilon which are responsible for different reactions of DNA synthesis.,PTM:A 165 kDa form is probably produced by proteolytic cleavage at Lys-124.,similarity:Belongs to the DNA polymerase type-B family.,subunit:Interacts with SV40 Large T antigen; this interaction allows viral

DNA replication.,


Subcellular Location:

Nucleus . Cytoplasm, cytosol . In the cytosol, colocalizes with RNA:DNA hybrids with a speckled pattern. .

Products Images



Western Blot analysis of various cells using DNA pol α Polyclonal Antibody diluted at 1:1000 $\,$



Western blot analysis of lysates from HepG2, 293, and Jurkat cells, using DNA Polymerase alpha Antibody. The lane on the right is blocked with the synthesized peptide.