

CYP39A1 Polyclonal Antibody

Catalog No: YT1227

Reactivity: Human; Mouse

Applications: WB;IHC;IF;ELISA

Target: CYP39A1

Fields: >>Primary bile acid biosynthesis

Q9NYL5

Q9JKJ9

Gene Name: CYP39A1

Protein Name: 24-hydroxycholesterol 7-alpha-hydroxylase

Human Gene Id: 51302

Human Swiss Prot

iuman Swiss Fit

No:

Mouse Swiss Prot

No:

Immunogen: Synthesized peptide derived from the Internal region of human CYP39A1.

Specificity: CYP39A1 Polyclonal Antibody detects endogenous levels of CYP39A1 protein.

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution : WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:40000.. IF 1:50-200

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 55kD

Cell Pathway: Primary bile acid biosynthesis;

Background: cytochrome P450 family 39 subfamily A member 1(CYP39A1) Homo sapiens

This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This endoplasmic reticulum protein is involved in the conversion of

cholesterol to bile acids. Its substrates include the oxysterols

25-hydroxycholesterol, 27-hydroxycholesterol and 24-hydroxycholesterol. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Jul

2013],

Function: catalytic activity:(24R)-cholest-5-ene-3-beta,24-diol + NADPH + O(2) =

(24R)-cholest-5-ene-3-beta,7-alpha,24-triol + NADP(+) + H(2)O.,cofactor:Heme

group.,function:Involved in the bile acid metabolism. Has a preference for

24-hydroxycholesterol, and converts it into a 7-alpha-hydroxylated

product., similarity: Belongs to the cytochrome P450 family., tissue specificity: Liver

specific.,


Subcellular Location:

Endoplasmic reticulum membrane ; Multi-pass membrane protein . Microsome

membrane; Multi-pass membrane protein.


Expression : Liver specific.

Products Images




Western Blot analysis of various cells using CYP39A1 Polyclonal Antibody

CYP39A1



Western Blot analysis of HeLa cells using CYP39A1 Polyclonal Antibody



Immunohistochemical analysis of paraffin-embedded human meningioma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).