

## **NDUFB1 Polyclonal Antibody**

Catalog No: YT3012

**Reactivity:** Human; Rat; Mouse;

**Applications:** IHC;IF;ELISA

Target: NDUFB1

**Fields:** >>Oxidative phosphorylation;>>Metabolic

pathways;>>Thermogenesis;>>Retrograde endocannabinoid signaling;>>Non-

alcoholic fatty liver disease;>>Alzheimer disease;>>Parkinson

disease;>>Amyotrophic lateral sclerosis;>>Huntington disease;>>Prion disease;>>Pathways of neurodegeneration - multiple diseases;>>Chemical carcinogenesis - reactive oxygen species;>>Diabetic cardiomyopathy

Gene Name: NDUFB1

Protein Name: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1

Human Gene Id: 4707

**Human Swiss Prot** 

No:

**Immunogen:** The antiserum was produced against synthesized peptide derived from human

NDUFB1. AA range:7-56

075438

**Specificity:** NDUFB1 Polyclonal Antibody detects endogenous levels of NDUFB1 protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution :** IHC 1:100 - 1:300. ELISA: 1:20000.. IF 1:50-200

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

1/2



Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 7kD

**Cell Pathway:** Oxidative phosphorylation; Alzheimer's disease; Parkinson's disease; Huntington's

disease;

**Background:** function: Accessory subunit of the mitochondrial membrane respiratory chain

NADH dehydrogenase (Complex I), that is believed to be not involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be

ubiquinone., similarity: Belongs to the complex I NDUFB1 subunit family., subunit: Complex I is composed of 45 different subunits.,

**Function:** function: Accessory subunit of the mitochondrial membrane respiratory chain

NADH dehydrogenase (Complex I), that is believed to be not involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be


ubiquinone., similarity: Belongs to the complex I NDUFB1 subunit family., subunit: Complex I is composed of 45 different subunits.,

Subcellular Location:

Mitochondrion inner membrane; Single-pass membrane protein; Matrix side.

**Expression:** Pancreas, Pooled, Umbilical cord blood,

## **Products Images**



Immunohistochemistry analysis of paraffin-embedded human pancreas, using NDUFB1 Antibody. The picture on the right is blocked with the synthesized peptide.