

NPY Polyclonal Antibody

Catalog No: YT3182

Reactivity: Human; Mouse; Rat

Applications: WB;IHC;IF;ELISA

Target: NPY

Fields: >>cAMP signaling pathway;>>Neuroactive ligand-receptor

interaction;>>Adipocytokine signaling pathway;>>Regulation of lipolysis in

adipocytes;>>Alcoholism

Gene Name: NPY

Protein Name: Pro-neuropeptide Y

P01303

P57774

Human Gene Id: 4852

Human Swiss Prot

No:

Mouse Gene Id: 109648

Mouse Swiss Prot

No:

Rat Gene Id: 1.00912e+008

Rat Swiss Prot No: P07808

Immunogen: The antiserum was produced against synthesized peptide derived from human

NPY. AA range:45-94

Specificity: NPY Polyclonal Antibody detects endogenous levels of NPY protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution : IHC 1:100-500,WB 1:500-2000,ELISA 1:5000-20000. IF 1:50-200

1/3



The antibody was affinity-purified from rabbit antiserum by affinity-**Purification:**

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 11kD

Cell Pathway: Adipocytokine;

Background: This gene encodes a neuropeptide that is widely expressed in the central

> nervous system and influences many physiological processes, including cortical excitability, stress response, food intake, circadian rhythms, and cardiovascular function. The neuropeptide functions through G protein-coupled receptors to inhibit adenylyl cyclase, activate mitogen-activated protein kinase (MAPK), regulate intracellular calcium levels, and activate potassium channels. A polymorphism in this gene resulting in a change of leucine 7 to proline in the signal peptide is associated with elevated cholesterol levels, higher alcohol consumption, and may be a risk factor for various metabolic and cardiovascular diseases. The protein also exhibits antimicrobial activity against bacteria and

fungi. [provided by RefSeg, Oct 2014],

Function: function:NPY is implicated in the control of feeding and in secretion of

gonadotrophin-release hormone., online information: Neuropeptide Y

entry, similarity: Belongs to the NPY family., tissue specificity: One of the most abundant peptides in the nervous system. Also found in some chromaffin cells of

the adrenal medulla..

Subcellular


Location:

Secreted. Cytoplasmic vesicle, secretory vesicle, neuronal dense core vesicle.

Expression:

One of the most abundant peptides in the nervous system. Also found in some chromaffin cells of the adrenal medulla.

Products Images



Immunohistochemistry analysis of NPY antibody in paraffinembedded human brain tissue.