

Olfactory receptor 9Q1 Polyclonal Antibody

Catalog No: YT3457

Reactivity: Human

Applications: WB;IF;ELISA

Target: Olfactory receptor 9Q1

Fields: >>Olfactory transduction

Gene Name: OR9Q1

Protein Name: Olfactory receptor 9Q1

Q8NGQ5

Human Gene Id: 219956

Human Swiss Prot

No:

Immunogen: The antiserum was produced against synthesized peptide derived from human

OR9Q1. AA range:234-283

Specificity: Olfactory receptor 9Q1 Polyclonal Antibody detects endogenous levels of

Olfactory receptor 9Q1 protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution : WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:10000. Not yet tested in other

applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

1/3



Observed Band: 33kD

Cell Pathway: Olfactory transduction;

Background: olfactory receptor family 9 subfamily Q member 1(OR9Q1) Homo sapiens

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR)

arising from single coding-exon genes. Olfactory receptors share a

7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated

transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by

RefSeq, Jul 2008],

Function: function:Odorant receptor .,similarity:Belongs to the G-protein coupled receptor


1 family.,

Subcellular Location:


Cell membrane; Multi-pass membrane protein.

Expression: Lung,


Products Images




Western Blot analysis of Jurkat cells using Olfactory receptor 9Q1 Polyclonal Antibody



Immunofluorescence analysis of MCF7 cells, using OR9Q1 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from MCF-7 cells, using OR9Q1 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HeLa cells using OR9Q1 antibody.