

TMEM16A Polyclonal Antibody

YT4679 Catalog No:

Reactivity: Human; Mouse;

Applications: IF;ELISA

Target: TMEM16A

Gene Name: ANO1

Protein Name: Anoctamin-1

Human Gene Id: 55107

Human Swiss Prot

No:

Mouse Swiss Prot

No:

The antiserum was produced against synthesized peptide derived from human Immunogen:

TM16A. AA range:921-970

TMEM16A Polyclonal Antibody detects endogenous levels of TMEM16A **Specificity:**

protein.

Q5XXA6

Q8BHY3

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Formulation:

Source: Polyclonal, Rabbit, IgG

Dilution: IF 1:200 - 1:1000. ELISA: 1:20000. Not yet tested in other applications.

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 114kD



Background:

domain: The region spanning the fifth and sixth transmembrane domains probably forms the pore-forming region., function: Acts as a calcium-activated chloride channel. Required for normal tracheal development., similarity: Belongs to the anoctamin family., tissue specificity: Broadly expressed with higher levels in liver and skeletal muscle.,

Function:

domain:The region spanning the fifth and sixth transmembrane domains probably forms the pore-forming region.,function:Acts as a calcium-activated chloride channel. Required for normal tracheal development.,similarity:Belongs to the anoctamin family.,tissue specificity:Broadly expressed with higher levels in liver and skeletal muscle.,


Subcellular Location:

Cell membrane ; Multi-pass membrane protein . Cytoplasm . Cytoplasmic localization seen in neoplastic cells of head and neck squamous cell carcinoma (HNSCC) tumors. .

Expression:

Broadly expressed with higher levels in liver, skeletal muscle and gastrointestinal muscles.

Products Images



Immunofluorescence analysis of HeLa cells, using TM16A Antibody. The picture on the right is blocked with the synthesized peptide.