


TP53INP2 Polyclonal Antibody


Catalog No :	YT4706
Reactivity :	Human;Mouse;Rat
Applications :	WB;IHC;IF;ELISA
Target :	TP53INP2
Fields :	>>Autophagy - animal
Gene Name :	TP53INP2
Protein Name :	Tumor protein p53-inducible nuclear protein 2
Human Gene Id :	58476
Human Swiss Prot No :	Q8IXH6
Mouse Gene Id :	68728
Mouse Swiss Prot No :	Q8CFU8
Rat Swiss Prot No :	Q8CHM3
Immunogen :	The antiserum was produced against synthesized peptide derived from human TP53INP2. AA range:1-50
Specificity :	TP53INP2 Polyclonal Antibody detects endogenous levels of TP53INP2 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500-2000 IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:10000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Concentration :	1 mg/ml
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)
Molecularweight :	24kD
Observed Band :	17kD
Background :	tumor protein p53 inducible nuclear protein 2(TP53INP2) Homo sapiens The protein encoded by this gene promotes autophagy and is essential for proper autophagosome formation and processing. In addition, the encoded protein can enhance rDNA transcription by helping in the assembly of the POLR1/RNA polymerase I preinitiation complex. Finally, this protein serves as a transcriptional activator for some genes. [provided by RefSeq, Jul 2016],
Subcellular Location :	Cytoplasm, cytosol. Nucleus. Nucleus, PML body. Cytoplasmic vesicle, autophagosome. Shuttles between the nucleus and the cytoplasm, depending on cellular stress conditions, and re-localizes to autophagosomes on autophagy activation.
Expression :	Eye,Heart,

Products Images



Immunofluorescence analysis of MCF7 cells, using TP53INP2 Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using TP53INP2 Antibody. The picture on the right is blocked with the synthesized peptide.