

TAB182 Polyclonal Antibody

Catalog No :	YT4520
Reactivity :	Human;Mouse
Applications :	WB;ELISA
Target :	TAB182
Gene Name :	TNKS1BP1
Protein Name :	182 kDa tankyrase-1-binding protein
Human Gene Id :	85456
Human Swiss Prot No :	Q9C0C2
Mouse Gene Id :	228140
Mouse Swiss Prot No :	P58871
Immunogen :	The antiserum was produced against synthesized peptide derived from human TNKS1BP1. AA range:1601-1650
Specificity :	TAB182 Polyclonal Antibody detects endogenous levels of TAB182 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500 - 1:2000. ELISA: 1:40000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band : 150kD


Background : PTM:ADP-ribosylated by TNKS1 (in vitro).,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,subcellular location:Colocalizes with chromosomes during mitosis, and in the cytoplasm with cortical actin.,subunit:Binds to the ANK repeat domain of TNKS1 and TNKS2.,tissue specificity:Detected in testis, ovary, lung, skeletal muscle, heart, prostate and pancreas, and at very low levels in brain and peripheral blood leukocytes.,

Function : PTM:ADP-ribosylated by TNKS1 (in vitro).,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,subcellular location:Colocalizes with chromosomes during mitosis, and in the cytoplasm with cortical actin.,subunit:Binds to the ANK repeat domain of TNKS1 and TNKS2.,tissue specificity:Detected in testis, ovary, lung, skeletal muscle, heart, prostate and pancreas, and at very low levels in brain and peripheral blood leukocytes.,


Subcellular Location : Nucleus. Cytoplasm, cytoskeleton. Chromosome. Colocalizes with chromosomes during mitosis, and in the cytoplasm with cortical actin.

Expression : Detected in testis, ovary, lung, skeletal muscle, heart, prostate and pancreas, and at very low levels in brain and peripheral blood leukocytes.

Products Images



Western Blot analysis of various cells using TAB182 Polyclonal Antibody diluted at 1:1000



Western blot analysis of lysates from 293 cells, using TNKS1BP1 Antibody. The lane on the right is blocked with the synthesized peptide.