

WAVE3 Polyclonal Antibody

Catalog No :	YT4899
Reactivity :	Human;Mouse
Applications :	WB;IHC;IF;ELISA
Target :	WAVE3
Fields :	>>Adherens junction;>>Fc gamma R-mediated phagocytosis;>>Pathogenic Escherichia coli infection;>>Salmonella infection;>>Choline metabolism in cancer
Gene Name :	WASF3
Protein Name :	Wiskott-Aldrich syndrome protein family member 3
Human Gene Id :	10810
Human Swiss Prot No :	Q9UPY6
Mouse Gene Id :	245880
Mouse Swiss Prot No :	Q8VHI6
Immunogen :	The antiserum was produced against synthesized peptide derived from human WASF3. AA range:151-200
Specificity :	WAVE3 Polyclonal Antibody detects endogenous levels of WAVE3 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:10000.. IF 1:50-200
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml

Storage Stability : -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band : 55kD

Cell Pathway : Adherens_Junction;Fc gamma R-mediated phagocytosis;


Background : This gene encodes a member of the Wiskott-Aldrich syndrome protein family. The gene product is a protein that forms a multiprotein complex that links receptor kinases and actin. Binding to actin occurs through a C-terminal verprolin homology domain in all family members. The multiprotein complex serves to transduce signals that involve changes in cell shape, motility or function. A pseudogene of this gene have been defined on chromosome 6. Alternative splicing results in multiple transcript variants [provided by RefSeq, May 2014],

Function : domain: Binds the Arp2/3 complex through the C-terminal region and actin through verprolin homology (VPH) domain.,function: Downstream effector molecules involved in the transmission of signals from tyrosine kinase receptors and small GTPases to the actin cytoskeleton.,similarity: Belongs to the SCAR/WAVE family.,similarity: Contains 1 WH2 domain.,subunit: Binds actin and the Arp2/3 complex.,tissue specificity: Expressed in ovary and brain.,


Subcellular Location : Cytoplasm, cytoskeleton.

Expression : Expressed in ovary and brain.


Products Images



Western Blot analysis of 3T3 cells using WAVE3 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Western blot analysis of WASF3 Antibody. The lane on the right is blocked with the WASF3 peptide.



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using WASF3 Antibody. The picture on the right is blocked with the synthesized peptide.