

CRBP II Polyclonal Antibody

Catalog No: YT5387

Reactivity: Human; Mouse; Rat

Applications: WB;ELISA

Target: CRBP II

Fields: >>Vitamin digestion and absorption

P50120

Q08652

Gene Name: RBP2

Protein Name: Retinol-binding protein 2

Human Gene Id: 5948

Human Swiss Prot

No:

Mouse Gene ld: 19660

Mouse Swiss Prot

No:

Rat Gene ld: 24710

Rat Swiss Prot No: P06768

Immunogen: The antiserum was produced against synthesized peptide derived from the

Internal region of human RBP2. AA range:71-120

Specificity: CRBP II Polyclonal Antibody detects endogenous levels of CRBP II protein.

Formulation : Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500 - 1:2000. ELISA: 1:20000. Not yet tested in other applications.

1/3



Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 15kD

Background: retinol binding protein 2(RBP2) Homo sapiens This gene encodes an abundant

protein present in the small intestinal epithelium. It is thought to participate in the uptake and/or intracellular metabolism of vitamin A. Vitamin A is a fat-soluble vitamin necessary for growth, reproduction, differentiation of epithelial tissues, and vision. This protein may also modulate the supply of retinoic acid to the nuclei of endometrial cells during the menstrual cycle. [provided by RefSeq, Aug 2015],

Function: domain:Forms a beta-barrel structure that accommodates hydrophobic ligands

in its interior.,function:Intracellular transport of retinol.,similarity:Belongs to the

calycin superfamily. Fatty-acid binding protein (FABP) family.,tissue

specificity: Higher expression in adult small intestine and to a much lesser extent

in fetal kidney.,


Subcellular Location:

Cytoplasm.


Expression: Higher expression in adult small intestine and to a much lesser extent in fetal

kidney.

Products Images



Western Blot analysis of K562 cells using CRBP II Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Western blot analysis of lysate from K562 cells, using RBP2 Antibody.