

## **Claudin 11 Antibody**

Catalog No: YT6134

**Reactivity:** Human; Mouse; Rat

**Applications:** WB;ELISA

Target: Claudin 11

Fields: >>Cell adhesion molecules;>>Tight junction;>>Leukocyte transendothelial

migration;>>Pathogenic Escherichia coli infection;>>Hepatitis C

Gene Name: CLDN11 OSP OTM

**Protein Name:** Claudin-11 (Oligodendrocyte-specific protein)

075508

Q60771

Human Gene Id: 5010

**Human Swiss Prot** 

No:

Mouse Gene Id: 18417

**Mouse Swiss Prot** 

No:

Rat Swiss Prot No: Q99P82

Immunogen: Synthesized peptide derived from human Claudin 11

**Specificity:** This antibody detects endogenous levels of Claudin 11 Antibody

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution:** WB 1:500-2000, ELISA 1:10000-20000

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.



**Concentration**: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 20kD

**Cell Pathway:** Cell adhesion molecules (CAMs); Tight junction; Leukocyte transendothelial

migration;

**Background :** This gene encodes a member of the claudin family. Claudins are integral

membrane proteins and components of tight junction strands. Tight junction strands serve as a physical barrier to prevent solutes and water from passing freely through the paracellular space between epithelial or endothelial cell sheets, and also play critical roles in maintaining cell polarity and signal transductions. The protein encoded by this gene is a major component of central nervous system (CNS) myelin and plays an important role in regulating proliferation and migration of oligodendrocytes. Mouse studies showed that the gene deficiency results in deafness and loss of the Sertoli cell epithelial phenotype in the testis. This protein is a tight junction protein at the human blood-testis barrier (BTB), and the BTB disruption is related to a dysfunction of this gene. Alternatively spliced transcript

**Function:** function: Plays a major role in tight junction-specific obliteration of the

intercellular space, through calcium-independent cell-adhesion

activity., similarity: Belongs to the claudin family., subunit: Interacts with

tetraspanin-3/TSPAN3.,


variants encoding different iso

Subcellular Location :

Cell junction, tight junction. Cell membrane; Multi-pass membrane protein.


**Expression:** Lung, Spinal cord,

## **Products Images**



Nickel induces blood-testis barrier damage through ROS-mediated p38 MAPK pathways in mice. Redox Biology Hongrui Guo IF? WB Mouse testis tissue TM4 cell





Western blot analysis of mouse-kidney lysate, antibody was diluted at 1000. Secondary antibody(catalog#:RS0002) was diluted at 1:20000