


**T53G1 rabbit pAb**

<b>Catalog No :</b>	YT6550
<b>Reactivity :</b>	Human;Rat;Mouse;
<b>Applications :</b>	IHC;IF
<b>Target :</b>	T53G1
<b>Gene Name :</b>	TP53TG1 P53TG1 TP53AP1
<b>Protein Name :</b>	T53G1
<b>Human Swiss Prot No :</b>	Q9Y2A0
<b>Immunogen :</b>	Synthesized peptide derived from human T53G1 AA range: 19-69
<b>Specificity :</b>	This antibody detects endogenous levels of T53G1 at Human
<b>Formulation :</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source :</b>	Polyclonal, Rabbit,IgG
<b>Dilution :</b>	IHC 1:50-200. IF 1:50-200
<b>Purification :</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Concentration :</b>	1 mg/ml
<b>Storage Stability :</b>	-15°C to -25°C/1 year(Do not lower than -25°C)
<b>Molecularweight :</b>	10kD
<b>Function :</b>	induction:Up-regulated by ultraviolet irradiation and exposure to bleomycin or cisplatin in a TP53/p53-dependent manner.,tissue specificity:Isoform 1 , isoform 2, isoform 3 and isoform 4 are ubiquitously expressed.,

## Products Images



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).