

PVRIG rabbit pAb

Catalog No: YT6992

Reactivity: Human

Applications: WB;ELISA;IHC

Target: PVRIG

Gene Name: PVRIG C7orf15

Protein Name: PVRIG

Human Gene Id: 79037

Human Swiss Prot

No:

Immunogen: Synthesized peptide derived from human PVRIG AA range: 229-279

Specificity: This antibody detects endogenous levels of PVRIG at Human

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Q6DKI7

Dilution: WB 1:500-2000;IHC 1:50-300; ELISA 2000-20000

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 36kD

Function: caution:Despite its name, it does not share sequence similarity with the

poliovirus receptor (PVR/CD155) and does not contain any immunoglobulin

domain.,


Subcellular Location:

Cell membrane; Multi-pass membrane protein.


Expression:

Expressed in some types of immune cells. Expressed at low levels on the surface of freshly isolated T-cells and natural killer (NK) cells, predominantly on CD8+ T-cells (mainly memory/effector, but not naive cells) and on both CD16+ and CD16- NK cells. T-cell expression levels are variable among individuals. Not detected in B-cells, naive or helper T-cells, monocytes, nor neutrophils (at protein level). Not detected in dendritic cells.

Products Images



Western blot analysis of lysates from HpeG2 cells, primary antibody was diluted at 1:1000, 4° over night



Immunohistochemical analysis of paraffin-embedded human oophoroma. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).