

PPR17 rabbit pAb

YT7324 **Catalog No:**

Human; Mouse Reactivity:

Applications: WB;IHC

Target: PPR17

Fields: >>Long-term depression

PPP1R17 C7orf16 GSBS **Gene Name:**

O96001

Q9Z2E4

Protein Name: PPR17

Human Gene Id: 10842

Human Swiss Prot

No:

Mouse Gene Id: 19051

Mouse Swiss Prot

No:

Synthesized peptide derived from human PPR17 AA range: 75-125 Immunogen:

This antibody detects endogenous levels of PPR17 at Human/Mouse **Specificity:**

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

Dilution: WB 1:500-2000;IHC 1:50-300

Purification: The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

1/2



Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 17kD

The protein encoded by this gene is found primarily in cerebellar Purkinje cells, **Background:**

> where it functions as a protein phosphatase inhibitor. The encoded protein is a substrate for cGMP-dependent protein kinase. An allele of this gene was discovered that increases susceptibility to hypercholesterolemia. Two transcript variants encoding different isoforms have been found for this gene. [provided by

RefSeq, Jul 2010],

Function: function:Inhibits protein phosphatase-2A and protein

phosphatase-1.,PTM:Substrate for cGMP-dependent protein kinase.,tissue

specificity: Highly expressed in cerebellum.,


Subcellular Location:


intracellular,

Expression: Highly expressed in cerebellum.

Products Images

Western blot analysis of lysates from U2OS cells, primary antibody was diluted at 1:1000, 4° over night





Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).