

## WDR78 rabbit pAb


<b>Catalog No :</b>	YT7326
<b>Reactivity :</b>	Human;Mouse;Rat
<b>Applications :</b>	WB
<b>Target :</b>	WDR78
<b>Gene Name :</b>	WDR78
<b>Protein Name :</b>	WDR78
<b>Human Gene Id :</b>	79819
<b>Human Swiss Prot No :</b>	Q5VTH9
<b>Mouse Gene Id :</b>	242584
<b>Mouse Swiss Prot No :</b>	E9PYY5
<b>Rat Gene Id :</b>	313417
<b>Rat Swiss Prot No :</b>	Q4V8G4
<b>Immunogen :</b>	Synthesized peptide derived from human WDR78 AA range: 281-331
<b>Specificity :</b>	This antibody detects endogenous levels of WDR78 at Human/Mouse/Rat
<b>Formulation :</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Source :</b>	Polyclonal, Rabbit,IgG
<b>Dilution :</b>	WB 1:500-2000
<b>Purification :</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

---

<b>Concentration :</b>	<u>1 mg/ml</u>
<b>Storage Stability :</b>	<u>-15°C to -25°C/1 year(Do not lower than -25°C)</u>
<b>Molecularweight :</b>	<u>93kD</u>
<b>Function :</b>	<u>similarity:Contains 6 WD repeats.,</u>
<b>Subcellular Location :</b>	<u>Cytoplasm, cytoskeleton, flagellum axoneme . Cytoplasm, cytoskeleton, cilium axoneme . Dynein axonemal particle .</u>

---

## Products Images



Western blot analysis of lysates from SH-SY5Y cells, primary antibody was diluted at 1:1000, 4° over night