

## CD3, CD3E (PT0107R) rabbit mAb

Catalog No: YM7046

Reactivity: Human;

**Applications:** IHC;WB;ICC;IF; ELISA

Target: CD3E

Fields: >>Hematopoietic cell lineage;>>Th1 and Th2 cell differentiation;>>Th17 cell

differentiation;>>T cell receptor signaling pathway;>>Chagas

disease;>>Measles;>>Human T-cell leukemia virus 1 infection;>>Epstein-Barr virus infection;>>Puman immunodeficiency virus 1 infection;>>PD-L1 expression

and PD-1 checkpoint pathway in cancer;>>Primary immunodeficiency

Gene Name: CD3E

Protein Name: CD3, CD3E

Human Gene Id: 916

**Human Swiss Prot** 

No:

Immunogen: Synthesized peptide derived from human CD3, CD3E AA range:1-100

**Specificity:** This antibody detects endogenous levels of CD3E

Formulation: PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA

Source: Monoclonal, Rabbit lgG1, Kappa

P07766

**Dilution:** IHC 1:100-500, IF ICC 1:100-500, ELISA 1:5000-20000

Purification: Recombinant Expression and Affinity purified

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 23kD



## **Background:**

The protein encoded by this gene is the CD3-epsilon polypeptide, which together with CD3-gamma, -delta and -zeta, and the T-cell receptor alpha/beta and gamma/delta heterodimers, forms the T-cell receptor-CD3 complex. This complex plays an important role in coupling antigen recognition to several intracellular signal-transduction pathways. The genes encoding the epsilon, gamma and delta polypeptides are located in the same cluster on chromosome 11. The epsilon polypeptide plays an essential role in T-cell development. Defects in this gene cause immunodeficiency. This gene has also been linked to a susceptibility to type I diabetes in women. [provided by RefSeq, Jul 2008],

## **Function:**

function:The CD3 complex mediates signal transduction.,online information:CD3E mutation db,similarity:Contains 1 Ig-like (immunoglobulin-like) domain.,similarity:Contains 1 ITAM domain.,subunit:The TCR/CD3 complex of T-lymphocytes consists of either a TCR alpha/beta or TCR gamma/delta heterodimer coexpressed at the cell surface with the invariant subunits of CD3 labeled gamma, delta, epsilon, zeta, and eta.,

Subcellular Location:

Membranous

**Expression:** 

Membranous

## **Products Images**