

# Gastrin (ABT-GAST) IHC kit

CatalogNo: IHCM6060

## **| Key Features**

**Host Species** 

Mouse

Reactivity

Human,

**Applications** 

IHC

### Isotype

IgG3,Kappa

#### **Recommended Dilution Ratios**

### Storage

Storage\*

2°C to 8°C/1 year

## **Basic Information**

**Clonality** 

Monoclonal

**Clone Number** 

ABT-GAST

# Immunogen Information

**Immunogen** 

Synthesized peptide derived from human Gastrin AA range: 50-101

Specificity

The antibody can specifically recognize human Gastrin protein.

## | Target Information

Gene name

**GAST GAS** 

#### **Protein Name**

Gastrin [Cleaved into: Gastrin-71 (Gastrin component I); Gastrin-52 (G52); Big gastrin (Gastrin component II) (Gastrin-34) (G34); Gastrin (Gastrin component III) (Gastrin-17) (G17); Gastrin-14 (G14); Gastrin-6 (G6)]

Organism	Gene ID	UniProt ID
Human	<u>2520;</u>	<u>P01350</u> ;

#### Cellular Localization


Cytoplasmic

Tissue specificity Gastric mucosa,

#### **Function**

Function:Gastrin stimulates the stomach mucosa to produce and secrete hydrochloric acid and the pancreas to secrete its digestive enzymes. It also stimulates smooth muscle contraction and increases blood circulation and water secretion in the stomach and intestine.,online information:Gastrin entry,PTM:Sulfation enhances proteolytic processing, and blocks peptide degradation. Levels of sulfation differ between proteolytically-cleaved gastrins. Thus, gastrin-6 is almost 73% sulfated, whereas the larger gastrins are less than 50% sulfated. Sulfation levels are also tissue-specific.,PTM:Two different processing pathways probably exist in antral G-cells. In the dominant pathway progastrin is cleaved at three sites resulting in two major bioactive gastrins, gastrin-34 and gastrin-17. In the putative alternative pathway, progastrin may be processed only at the most C-terminal dibasic site resulting in the synthesis of gastrin-71.,similarity:Belongs to the gastrin/cholecystokinin family.,

#### **I** Validation Data



Human gastric adenocarcinoma tissue was stained with Anti-Gastrin (ABT-GAST) Antibody



Human gastric adenocarcinoma tissue was stained with Anti-Gastrin (ABT-GAST) Antibody

### **Contact information**

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 408-747-0189 (USA) 400-8787-807(China)

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **Gastrin (ABT-GAST) IHC kit** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents