

PIK3CA H1047R (ABT454) IHC kit

CatalogNo: IHCM6979

Key Features

Host Species

Mouse

Reactivity
• Human,

Applications
• IHC

IsotypeIgG2b,Kappa

Recommended Dilution Ratios

Storage

Storage* 2°C to 8°C/1 year

Basic Information

noclonal

Clone Number ABT454

Immunogen Information

Immunogen	Synthesized peptide derived from human PIK3CA H1047R AA range: 1000-1068
Specificity	The antibody can specifically recognize the h1047r mutation of human PIK3CA protein, and does not react with wild-type PIK3CA protein.

Target Information

Gene name PIK3CA

Protein Name 5-bisphosphate 3-kinase 110 kDa catalytic subunit alpha;5-bisphosphate 3-kinase catalytic subunit alpha

isoform;caPI3K;CLOVE;CWS5;MCAP;MCM;MCMTC;MGC142161;MGC142163;p110 alpha;p110alpha;Phosphatidylinositol 3 kinase catalytic alpha polypeptide;Phosphatidylinositol 3 kinase catalytic 110 KD alpha;Phosphatidylinositol 4 5 bisphosphate 3 kinase catalytic subunit alpha;Phosphatidylinositol 4 5 bisphosphate 3 kinase catalytic subunit alpha isoform;Phosphatidylinositol 4,5 bisphosphate 3 kinase 110 kDa catalytic subunit alpha;Phosphatidylinositol-4;Phosphoinositide 3 kinase catalytic alpha polypeptide;PI 3 Kinase catalytic subunit alpha;PI3 kinase p110 subunit alpha;PI3-kinase subunit alpha;PI3K;PI3K-alpha;PI3KC A;PIK3C A;Pik3ca;PK3CA;PK3CA_HUMAN;PtdIns 3 kinase p110;PtdIns-3-kinase subunit alpha;PtdIns-3-kinase subunit p110alpha;Serine/threonine protein kinase PIK3CA

Organism	Gene ID	UniProt ID
Human	<u>5290;</u>	<u>P42336;</u>
Mouse	<u>18706;</u>	<u>P42337;</u>


Cellular Cytoplasmic

Localization


Tissue specificity Gastric adenocarcinoma with PIK3CA H1047R protein expression

Function Catalytic activity: ATP + 1-phosphatidyl-1D-myo-inositol 4,5-bisphosphate = ADP + 1phosphatidyl-1D-myo-inositol 3,4,5-trisphosphate.,Disease:Defects in PIK3CA are associated with breast cancer [MIM:114480]., Disease: Defects in PIK3CA are associated with colorectal cancer (CRC) [MIM:114500]., Disease: Defects in PIK3CA are associated with ovarian cancer [MIM:167000]. Ovarian cancer is the leading cause of death from gynecologic malignancy. It is characterized by advanced presentation with loco-regional dissemination in the peritoneal cavity and the rare incidence of visceral metastases. These typical features relate to the biology of the disease, which is a principal determinant of outcome., Disease: Defects in PIK3CA may underlie hepatocellular carcinoma (HCC) [MIM:114550]., Disease: PI3KCA mutations affecting exons 9 and 20 display gender-and tissue-specific patterns, thus suggesting that the different amino acid changes could exert distinct functional effects on the oncogenic properties of this enzyme. Furthermore, sexual dimorphisms and tissue specific factors might directly or indirectly influence the occurrence of PI3KCA cancer alleles., Function: Phosphorylates PtdIns, PtdIns4P and PtdIns(4,5)P2 with a preference for PtdIns(4,5)P2., similarity: Belongs to the PI3/PI4-kinase family., similarity: Contains 1 C2 domain., similarity: Contains 1 PI3K/PI4K domain., subunit: Heterodimer of a p110 (catalytic) and a p85 (regulatory) subunit. Binds to IRS1 in nuclear extracts. Interacts with RUFY3...


Validation Data




Human gastric adenocarcinoma tissue was stained with Anti-PIK3CA H1047R (ABT454) Antibody



Human gastric adenocarcinoma tissue was stained with Anti-PIK3CA H1047R (ABT454) Antibody



Human gastric adenocarcinoma tissue was stained with Anti-PIK3CA H1047R (ABT454) Antibody



Human gastric adenocarcinoma tissue was stained with Anti-PIK3CA H1047R (ABT454) Antibody

Contact information

Orders:	order@immunoway.com
Support:	tech@immunoway.com
Telephone:	408-747-0189 (USA) 400-8787-807(China)
Website:	http://www.immunoway.com
Address:	2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **PIK3CA H1047R** (ABT454) IHC kit

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents