

HRP* Goat Anti Rabbit IgG(H+L)

CatalogNo: RS0002 Orthogonal Validated 💽

Key Features

Host Species

Goat

Reactivity

Rabbit

ApplicationsWB,IHC,ELISA

Conjugate

HRP

Recommended Dilution Ratios

WB 1:5000-20000 IHC 1:20-100

ELISA 1:5000-20000

Storage

Storage* -15°C to -25°C/1 year(Do not lower than -25°C)

Formulation 4 mg/ml


| Basic Information

Immunogen Information


| Target Information

Protein Name


Validation Data




TBBPA causes apoptosis in grass carp hepatocytes involving destroyed ERmitochondrial function. CHEMOSPHERE Shiwen Xu WB Fish 1:8000 L8824 cell



A novel CD8+ T cell-related gene signature for predicting the prognosis and immunotherapy efficacy in bladder cancer. INFLAMMATION RESEARCH Xu Ning WB Human 1:1000 5637 cell,T24 cell,UMUC-3 cell,SV-HUC-1 cell



Kang, Min, et al. "Autophagy was activated against the damages of placentas caused by nano-copper oral exposure." Ecotoxicology and Environmental Safety 220 (2021): 112364.



Western Blot analysis of flag-tag protein using primary antibody at various dilution. Secondary antibody(catalog#:RS0002) was diluted at 1:10000

| Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 408-747-0189 (USA) 400-8787-807(China)

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: HRP* Goat Anti Rabbit IgG(H+L)

For Research Use Only. Not for Use in Diagnostic Procedures.	Antibody ELISA Kits Protein Reagents
	Immunoway - 3 / 3