

# CD366 (PN0210) Nb-FC recombinant antibody

CatalogNo: YA0292 Recombinant R

#### **Key Features**

Reactivity Applications
• Human • ELISA

# **Recommended Dilution Ratios**

ELISA 1:5000-100000 Flow Cyt 1-2µg/Test

### Storage

**Storage\*** -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

**Formulation** Phosphate-buffered solution

#### **Basic Information**

**Source** Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

**Purification** Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain, recombinantly

produced from 293F cell

Clone Number PN0210

### Immunogen Information

Immunogen	Purified recombinant Human TIM-3
Specificity	This recombinant monoclonal antibody can detects endogenous levels of CD366/TIM-3 protein.

## | Target Information

Gene name HAVCR2 TIM3 TIMD3

**Protein Name** 

Hepatitis A virus cellular receptor 2 (HAVcr-2) (T-cell immunoglobulin and mucin domain-containing protein 3) (TIMD-3) (T-cell immunoglobulin mucin receptor 3) (TIM-3) (T-cell membrane protein 3) (CD antigen CD366)

Organism	Gene ID	UniProt ID
Human	<u>1000</u> ;	Q8TDQ0;


Cellular Localization Membrane ; Single-pass type I membrane protein . Cell junction . Cell membrane . Localizes to the immunological synapse between CD8+ T-cells and target cells. .

**Function** 

Disease:Genetic variation in HAVCR2 may influence susceptibility to rheumatoid arthritis (RA) [MIM:180300]. RA is an inflammatory disease, primarily of the joints, with autoimmune features and a complex genetic component. It is characterized by inflammation of synovial tissues and the formation of rheumatoid pannus, which is capable of eroding adjacent cartilage and bone, causing subsequent joint destruction., Regulates macrophage activation. Inhibits T-helper type 1 lymphocyte (Th1)-mediated auto- and alloimmune responses and promotes immunological tolerance. May be also involved in T-cell homing. Receptor for LGALS9., similarity:Belongs to the immunoglobulin superfamily. TIM

family., similarity: Contains 1 Ig-like V-type (immunoglobulin-like) domain., tissue specificity: T-helper type 1 lymphocyte (Th1)-specific.,

# | Validation Data



#### Contact information

Orders: order@immunoway.com
Support: tech@immunoway.com

Telephone: 877-594-3616 (Toll Free), 408-747-0185

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information:

CD366 (PN0210) Nb-FC recombinant antibody

For Research Use Only. Not for Use in Diagnostic Procedures.	Antibody   ELISA Kits   Protein   Reagents
	Immunoway - 3 / 3