**Applications** 

WB,ELISA



# **DUS26 Rabbit pAb**

CatalogNo: YN1694

# **| Key Features**

Host Species Reactivity

Rabbit
 Human, Mouse, Rat

MW Isotype
• 23kD (Observed) • IgG

### **Recommended Dilution Ratios**

WB 1:500-2000 ELISA 1:5000-20000

# **Storage**

Storage\* -15°C to -25°C/1 year(Do not lower than -25°C)

**Formulation** 1 mg/ml

### **Basic Information**

**Clonality** Polyclonal

# Immunogen Information

**Immunogen** Synthesized peptide derived from human protein . at AA range: 130-210

**Specificity** DUS26 Polyclonal Antibody detects endogenous levels of protein.

# **| Target Information**

Gene name DUSP26 DUSP24 LDP4 MKP8 NATA1 SKRP3

#### **Protein Name**

Dual specificity protein phosphatase 26 (Dual specificity phosphatase SKRP3) (Lowmolecular-mass dual-specificity phosphatase 4) (DSP-4) (LDP-4) (Mitogen-activated protein kinase phosphatase 8) (MAP kinase phosphatase 8) (MKP-8) (Novel amplified gene in thyroid anaplastic cancer)

Organism	Gene ID	UniProt ID
Human	<u>78986;</u>	Q9BV47;
Mouse		Q9D700;
Rat		<u>Q5FVI9;</u>

### Cellular Localization


Cytoplasm. Nucleus. Golgi apparatus.

**Tissue specificity** Brain. In the brain it is expressed ubiquitously except in the hippocampus. Expressed in embryonal cancers (retinoblastoma, neuroepithilioma and neuroblastoma) and in anaplatic thyroid cancer.

#### **Function**

Catalytic activity: A phosphoprotein + H(2)O = a protein + phosphate., Catalytic activity:Protein tyrosine phosphate + H(2)O = protein tyrosine + phosphate., Function: Inactivates MAPK1 and MAPK3 which leads to dephosphorylation of heat shock factor protein 4 and a reduction in its DNA-binding activity. Inhibits MAP kinase p38 by dephosphorylating it and inhibits p38-mediated apoptosis in anaplastic thyroid cancer cells. Can also induce activation of MAP kinase p38 and c-lun N-terminal kinase (JNK)., similarity: Belongs to the protein-tyrosine phosphatase family. Non-receptor class dual specificity subfamily., similarity: Contains 1 tyrosine-protein phosphatase domain., subunit: Interacts with HSF4., tissue specificity: Brain. In the brain it is expressed ubiquitously except in the hippocampus. Expressed in embryonal cancers (retinoblastoma. neuroepithilioma and neuroblastoma) and in anaplatic thyroid cancer.,

### Validation Data



Western blot analysis of lysates from SH-SY5Y cells, primary antibody was diluted at 1:1000, 4° over night

### Contact information

Orders: order@immunoway.com Support: tech@immunoway.com

Telephone: 408-747-0189 (USA) 400-8787-807(China)

Website: http://www.immunoway.com

Address: 2200 Ringwood Ave San Jose, CA 95131 USA



Please scan the QR code to access additional product information: **DUS26 Rabbit pAb** 

For Research Use Only. Not for Use in Diagnostic Procedures.

Antibody | ELISA Kits | Protein | Reagents