

TBX5 Monoclonal Antibody

Catalog No: YM0611

Reactivity: Human

Applications: WB;ELISA

Target: TBX5

Gene Name: TBX5

Protein Name: T-box transcription factor TBX5

Q99593

P70326

Human Gene Id: 6910

Human Swiss Prot

No:

Mouse Swiss Prot

No:

Immunogen: Purified recombinant fragment of TBX5 expressed in E. Coli.

Specificity: TBX5 Monoclonal Antibody detects endogenous levels of TBX5 protein.

Formulation: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Monoclonal, Mouse

Dilution: WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.

Purification : Affinity purification

Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Molecularweight: 58kD

P References : 1. Physiol Genomics. 2004 Jul 8;18(2):129-40.

2. J Mol Cell Cardiol. 2003 Oct;35(10):1191-5.



Background:

This gene is a member of a phylogenetically conserved family of genes that share a common DNA-binding domain, the T-box. T-box genes encode transcription factors involved in the regulation of developmental processes. This gene is closely linked to related family member T-box 3 (ulnar mammary syndrome) on human chromosome 12. The encoded protein may play a role in heart development and specification of limb identity. Mutations in this gene have been associated with Holt-Oram syndrome, a developmental disorder affecting the heart and upper limbs. Several transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, Jul 2008],

Function:

disease:Defects in TBX5 are the cause of Holt-Oram syndrome (HOS) [MIM:142900]. HOS is a developmental disorder affecting the heart and upper limbs. It is characterized by thumb anomaly and atrial septal defects.,function:Involved in the transcriptional regulation of genes required for mesoderm differentiation. Probably plays a role in limb pattern formation.,similarity:Contains 1 T-box DNA-binding domain.,

Subcellular Location:

Nucleus . Cytoplasm . Shuttles between the cytoplasm and the nucleus.

Acetylation at Lys-339 promotes nuclear retention. .

Expression: Lung, Spleen,


Sort : 16982

No4: 1

Host: Mouse

Modifications: Unmodified

Products Images



Western Blot analysis using TBX5 Monoclonal Antibody against HepG2 cell lysate (1).