

MARCH5 Polyclonal Antibody

Catalog No :	YT2646
Reactivity :	Human;Mouse;Rat
Applications :	IF;WB;ELISA
Target :	MARCH5
Gene Name :	MARCH5
Protein Name :	E3 ubiquitin-protein ligase MARCH5
Human Gene Id :	54708
Human Swiss Prot No :	Q9NX47
Mouse Gene Id :	69104
Mouse Swiss Prot No :	Q3KNM2
Immunogen :	The antiserum was produced against synthesized peptide derived from human MARCH5. AA range:21-70
Specificity :	MARCH5 Polyclonal Antibody detects endogenous levels of 40607 protein.
Formulation :	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source :	Polyclonal, Rabbit,IgG
Dilution :	WB 1:500-2000 IF 1:200 - 1:1000. ELISA: 1:40000. Not yet tested in other applications.
Purification :	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration :	1 mg/ml
Storage Stability :	-15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band : 37kD


Background : MARCH5 is a ubiquitin ligase of the mitochondrial outer membrane that plays a role in the control of mitochondrial morphology by regulating mitofusin-2 (MFN2; MIM 608507) and DRP1 (DNM1L; MIM 603850) (Nakamura et al., 2006 [PubMed 16936636]).[supplied by OMIM, Mar 2008],

Function : domain:The RING-CH-type zinc finger domain is required for E3 ligase activity.,function:Mitochondrial E3 ubiquitin-protein ligase that plays a crucial role in the control of mitochondrial morphology. Promotes ubiquitination of DRP1. E3 ubiquitin ligases accept ubiquitin from an E2 ubiquitin-conjugating enzyme in the form of a thioester and then directly transfer the ubiquitin to targeted substrates.,pathway:Protein modification; protein ubiquitination.,similarity:Contains 1 RING-CH-type zinc finger.,subunit:Interacts with MTFN2 and ubiquitinated forms of DRP1.,


Subcellular Location : Mitochondrion outer membrane ; Multi-pass membrane protein . Endoplasmic reticulum membrane ; Multi-pass membrane protein . Authors show that the protein can be detected in endoplasmic reticulum (PubMed:14722266). Authors (PubMed:16874301) show its presence only in mitochondria (PubMed:16874301). .

Expression : Expressed in brain, heart, liver, lung, spleen, stomach, testis, skeletal and muscle.


Products Images



Immunofluorescence analysis of HeLa cell. 1, MARCH5 Polyclonal Antibody(green) was diluted at 1:200(4 ° overnight). 2, Goat Anti Rabbit Alexa Fluor 488 Catalog:RS3211 was diluted at 1:1000(room temperature, 50min). 3 DAPI(blue) 10min.



Immunofluorescence analysis of A549 cells, using MARCH5 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from U2OS cells, primary antibody was diluted at 1:1000, 4° over night