

## **CD232 Polyclonal Antibody**

Catalog No: YT5627

**Reactivity:** Human; Mouse; Rat

**Applications:** WB;ELISA

Target: CD232

Fields: >>Axon guidance

O60486

Q9QZC2

Gene Name: PLXNC1

Protein Name: Plexin-C1

Human Gene Id: 10154

**Human Swiss Prot** 

iuman Swiss Fi

No:

Mouse Gene Id: 54712

**Mouse Swiss Prot** 

No:

**Immunogen:** The antiserum was produced against synthesized peptide derived from the

Internal region of human PLXNC1. AA range:811-860

**Specificity:** CD232 Polyclonal Antibody detects endogenous levels of CD232 protein.

**Formulation :** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Source: Polyclonal, Rabbit, IgG

**Dilution:** WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.

**Purification:** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Concentration: 1 mg/ml

1/3



Storage Stability: -15°C to -25°C/1 year(Do not lower than -25°C)

Observed Band: 175kD

**Cell Pathway:** Axon guidance;

**Background :** This gene encodes a member of the plexin family. Plexins are transmembrane

receptors for semaphorins, a large family of proteins that regulate axon guidance, cell motility and migration, and the immune response. The encoded protein and its ligand regulate melanocyte adhesion, and viral semaphorins may modulate the immune response by binding to this receptor. The encoded protein may be a tumor suppressor protein for melanoma. Alternatively spliced transcript variants

have been observed for this gene. [provided by RefSeq, Jan 2011],

**Function:** function:Receptor for vaccinia virus semaphorin A39R and for herpesvirus Sema


protein. Binding of viral semaphorins triggers cellular responses leading to the rearrangement of the cytoskeleton and to secretion of IL6 and IL8.,PTM:N-glycosylated.,similarity:Belongs to the plexin family.,similarity:Contains 1 Sema domain..tissue specificity:Detected in heart, brain, lung, spleen and placenta..

Subcellular Location:


Membrane ; Single-pass type I membrane protein .

**Expression:** Detected in heart, brain, lung, spleen and placenta.

## **Products Images**



Western Blot analysis of 3T3 cells using CD232 Polyclonal Antibody. Antibody was diluted at 1:1000. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Western Blot analysis of 3T3 cells using CD232 Polyclonal Antibody diluted at 1:1000. Secondary antibody(catalog#:RS0002) was diluted at 1:20000