

## CD279/PD1 (PN0612) Nb-FC recombinant antibody

Catalog No: YA0256

Reactivity: Human

**Applications:** ELISA

Target: CD279/PD1

Gene Name: PDCD1 PD1

**Protein Name:** Programmed cell death protein 1 (Protein PD-1) (hPD-1) (CD antigen CD279)

Human Gene ld: 5133

**Human Swiss Prot** 

No:

Immunogen: Purified recombinant Human PD1

Q15116

**Specificity:** This recombinant monoclonal antibody can detects endogenous levels of

CD279/PD1 protein.

**Formulation:** Phosphate-buffered solution

**Source:** Camel, chimeric fusion of Nanobody (VHH) and mouse IgG1 Fc domain,

recombinantly produced from 293F cell

**Dilution:** ELISA 1:5000-100000

Purification: Recombinant Expression and Affinity purified

**Concentration:** Please check the information on the tube

Storage Stability: -15°C to -25°C/1 year(Avoid freeze / thaw cycles)

**Background :** This gene encodes a cell surface membrane protein of the immunoglobulin

superfamily. This protein is expressed in pro-B-cells and is thought to play a role in their differentiation. In mice, expression of This gene is induced in the thymus when anti-CD3 antibodies are injected and large numbers of thymocytes undergo



apoptosis. Mice deficient forThis gene bred on a BALB/c background developed dilated cardiomyopathy and died from congestive heart failure. These studies suggest thatThis gene product may also be important in T cell function and contribute to the prevention of autoimmune diseases. [provided by RefSeq, Jul 2008]

**Function:** 

developmental stage:Induced at programmed cell death.,disease:Genetic variation in PDCD1 is associated with susceptibility to systemic lupus erythematosus type 2 (SLEB2) [MIM:605218]. Systemic lupus erythematosus is a chronic, inflammatory and often febrile multisystemic disorder of connective tissue. It affects principally the skin, joints, kidneys and serosal membranes. It is thought to represent a failure of the regulatory mechanisms of the autoimmune system.,Possible cell death inducer, in association with other factors.,similarity:Contains 1 Ig-like V-type (immunoglobulin-like)

domain.,subunit:Monomer.,

Subcellular Location:

Cell membrane ; Single-pass type I membrane protein.

**Expression :** Placenta, Pooled tissue, Uterine cervix

## **Products Images**

2/2