

MEK1 protein

Catalog No: YD0063

Reactivity: Human

Applications: WB;SDS-PAGE

Gene Name: MAP2K1

Protein Name: MEK1 protein

Sequence: Amino acid: 1-91, with his-MBP tag.

Q02750

P31938

Human Gene ld: 5604

Human Swiss Prot

No:

Mouse Swiss Prot

No:

Formulation: Liquid in PBS

Source : E.coli

Dilution : WB 1:500-2000

Concentration: SDS-PAGE >90%

Storage Stability: -20°C/6 month,-80°C for long storage

Function : M phase of mitotic cell cycle, MAPKKK cascade, activation of MAPK

activity, mitotic cell cycle, M phase, nuclear division, cell

morphogenesis, regulation of vascular smooth muscle contraction, regulation of transcription, DNA-dependent, regulation of transcription from RNA polymerase II

promoter, protein complex assembly, protein amino acid

phosphorylation, phosphorus metabolic process, phosphate metabolic

process, cell motion, chemotaxis, regulation of muscle contraction, regulation of smooth muscle contraction, response to oxidative stress, microtubule-based

process, microtubule-based movement, Golgi organization, cell

cycle, mitosis, negative regulation of cell adhesion, intracellular signaling

cascade, protein kinase cascade, small GTPase mediated signal



transduction, Ras protein signal transduction, ectoderm development, behavior, locomotory behavior, cell proliferation, epidermis deve

Subcellular Location :

Cytoplasm, cytoskeleton, microtubule organizing center, centrosome. Cytoplasm, cytoskeleton, microtubule organizing center, spindle pole body. Cytoplasm. Nucleus. Membrane; Peripheral membrane protein. Localizes at centrosomes during prometaphase, midzone during anaphase and midbody during telophase/cytokinesis (PubMed:14737111). Membrane localization is probably regulated by its interaction with KSR1 (PubMed:10409742).

Expression: Widely expressed, with extremely low levels in brain.

Products Images

